




1.25 THREADED HOLE


TOP



SCALE: 2X




BACK




LEFT

(x2) 3/8-24 THREADED HOLE




FRONT



RIGHT

General Notes

1. S-5-H
2. M8-1.25 X 16MM HEX FLANGE BOLT
3. 3/8-24 X .8" ROUNDPOINT SETSCREW
4. EXAMPLE PROFILE
5. S-5-H Insert



**FOR STANDING SEAM SPECIFIC MECHANICAL LOAD TEST
INFORMATION AND CLAMP INSTALLATION INFORMATION
PLEASE VISIT: WWW.S-5.COM**

MATERIAL: 6000 SERIES AL	 The Right Way! METAL ROOF INNOVATIONS, LTD. 8655 TABLE BUTTE RD COLORADO SPRINGS, CO 80908 719-495-0518 719-495-0045 (FAX)		
EST ASSEMBLY WEIGHT :			
SUPPLIED HARDWARE: M8-1.25 X 16MM (16MM HEX) 18/8 SS 3/8-24 X .800" 18/8 SS	TITLE S-5-H		
SCALE: 1:1	DRAWING NO. H A-0-A CCD	DRAWN BY Gabor Jacso	DATE 08/19/2014
OTHER:	S-5!® PRODUCTS ARE PROTECTED BY MULTIPLE U.S. PATENTS INCLUDING 5,228,248, 5,983,588 AND 6,164,033 (OTHERS ISSUED AND PENDING). EUROPEAN PATENTS ARE ALSO APPLIED FOR AND PENDING UNDER THE PATENT COOPERATION TREATY WITH DIVISIONAL FILING RIGHTS RETAINED. METAL ROOF INNOVATIONS, LTD. (LICENSOR OF S-5!® TECHNOLOGY) AGGRESSIVELY PROSECUTES PATENT INFRINGEMENT.		